

watering solutions

PRODUCT CATALOG



fitt® garden

Certified
B
Corporation

A close-up, artistic photograph of a person's arm and hand holding a black Fitt Garden hose. The hose is spraying water onto a plant. The background is a soft-focus garden scene with green foliage. The lighting is warm and golden, suggesting late afternoon or early morning. The Fitt Garden logo is visible on the hose.

FITT GARDEN

Is the Group's division dedicated to the development of solutions for gardening, watering, cleaning and outdoor life, designed to meet the needs of enthusiasts and professionals.



Product Catalog

Fitt group is a global leader in engineering and production of thermoplastic innovative solutions for fluid management.

strategy to 2030.....	05
technology	06
sustainability.....	09
Fitt hiflo & deck caddy set.....	10
Fitt force pro.....	14
Fitt marine & rv set.....	18
Fitt aquemaster marine & rv	22
Fitt aquemaster & leader hose	26
Fitt aquemaster pro	30
Fitt quantum.....	34
Fitt spreel	38

MULTI-PURPOSE HOSES



STORAGE CADDY SETS



REELS



the responsible flow: fitt's sustainability strategy to 2030.



100
COUNTRIES
WORLDWIDE



23
SITES AROUND
THE WORLD



1B
FEET OF HOSE
PER YEAR



1150
EMPLOYEES

Certified



This company is committed to
accountability, transparency,
and continuous improvement.

Corporation

The FITT Journey

FITT believes in a business model that creates shared value for people, society, and the environment. Since 2019, the company has embarked on a structured journey toward sustainability—becoming a Benefit Corporation, defining its “The Responsible Flow 2030” strategy, and achieving B Corp certification in 2024.

Benefit Corporation: Value Beyond Profit

Since 2021, FITT has been a Benefit Corporation. This means that, alongside its economic objectives, the company pursues purposes of common benefit, integrating a positive impact on people, local communities, and the environment into its mission.

The Value of B Corp Certification

In 2024, FITT achieved B Corp Certification, joining a global community of companies that use business as a force for good. This milestone marks the company’s commitment to an integrated and cross-cutting approach to sustainability, measured against a rigorous standard that assesses impact across five key areas: Governance, Workers, Community, Environment, and Customers.

Being a B Corp means operating in a transparent, responsible, and inclusive way, with the goal of creating shared value and actively contributing to a more equitable and regenerative economic model. Certification is not a final destination, but rather a new starting point toward continuous improvement.

Redesigning Processes with Responsibility

FITT takes concrete action on the operational front as well: the company has certified its organizational carbon footprint (ISO 14064-1) and initiated a path toward ISO 14001 certification for all its facilities. Efforts in logistics, waste management, and water consumption reduction through closed-loop systems are complemented by the increased use of renewable energy sources, all aimed at minimizing environmental impact throughout the entire value chain.

Products: Innovating to Reduce Impact

Product innovation is driven by the principles of ecodesign and the certified measurement of the carbon footprint (ISO 14067) verified by TÜV, with solutions designed to be lightweight, high-performing, and circular. This approach promotes transparency and awareness among customers and the market, fostering continuous improvement in environmental performance.

Well-Being, Equity & Participation

FITT places people at the center—fostering listening, participation, and empowerment through focus groups and ongoing training, and has obtained gender equality certification (UNI/PdR 125:2022). By adhering to the Women’s Empowerment Principles, the company invests in organizational well-being, welfare, and flexibility, creating an increasingly inclusive, equitable, and sustainable work environment.

technology

1

the technology

For over 50 years, FITT has delivered reliable, high-performance solutions built on evolving expertise and advanced technologies. These innovations ensure long-lasting quality while reducing waste and limiting the need for frequent replacement. This technological progress is supported by a concrete commitment to sustainability, optimizing every stage—from design to distribution—to minimize environmental impact. The integration of performance, durability, and environmental responsibility defines the essence of FITT Tech.



In addition to the advanced elastomers and thermoplastic materials used in the construction of our hoses, they feature FITT-Tech innovations such as:

NTS (No Torsion System) chain mesh reinforcement, the original by FITT, which eliminates flow restriction due to kinks and tangle.

NTS Plus is double the NTS chain mesh reinforcement and the FITT technology evolves further to offer exceptional performance, strength and malleability.

HD-Tech (High Durable Technology) covers which are abrasion resistant and puncture proof, while offering high flexibility in extremely cold temperatures (-4F).

Sky-Tech's exclusive external surface is a thin technopolymer outer layer which significantly increases resistance to cuts and abrasions, while allowing the hose to slide easily over a variety of surfaces.



products

2

sustainability product features

In line with its 2030 sustainability strategy, FITT designs and develops products based on its eco-design guidelines—performance, reduction, and circularity—and applies a lifecycle approach to reduce environmental impact across all stages: conception, engineering, market placement, and end-of-life.

Each solution is the result of a balanced integration of technical, functional, and economic criteria, with a strong focus on minimizing environmental and social footprints. The careful selection and reduction of raw materials, together with the strategic design of packaging, creates a more responsible and efficient product system.

STEP

01

TO MEASURE
Life Cycle Assessment (LCA)

FITT measures the enviromental impact of its products through certified LCA.

FITT calculates the carbon footprint of its products in accordance with ISO 14067:2020, aiming to map 80% of its total portfolio—fully aligned with its 2030 sustainability strategy.

The FITT HiFlo, Force Pro, and Marine/RV hoses have been developed according to the following roadmap:

STEP

02

TO REDUCE CO2e
Innovation

By applying its eco-design guidelines, FITT has significantly reduced CO2 emissions by -43% CO2e compared to current FITT PVC hoses across its product range.

THE FITT OBJECTIVES



fitt hiflo™ & deck caddy set

Next generation compact, lightweight, durable, and flexible garden hose for any use.


New technology allows **higher flow** in a **smaller diameter** than traditional hoses. Innovation in all aspects enhances ease of use in hose management, creates **sustainability** and improves the shopping experience.

Combined with our convenient caddy, this hose set offers the **simplicity of organized storage** and is ideal for carrying.



WHY SHOULD YOU BUY IT?

- 1 - **2X LIGHTER** than a traditional PVC hose
- 2 - **3X MORE COMPACT** than a traditional PVC hose
- 3 - **LONG-LASTING** performance
- 4 - **SHELF SPACE ORGANIZATION** and **OPTIMIZATION**



FITT's HiFlo is designed for multipurpose applications.

For consumers who **use their hose for everything** from watering plants to washing the car. Small gardens, terraces, balconies or large yards require a hose that **can be moved around easily**. Recreational activities such as camping or boating require a hose with the flexibility, ease of use and long-lasting performance.

1



High Durable Technology (HD TECH) cover is abrasion resistant and puncture proof. High manageability and high flexibility in extremely cold temperatures (-4°F).

2



The NTS chain mesh technology eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **300 psi** - from **29 psi** to **100 psi**.

4

No PVC, phthalates or lead – “drinking water safe!”

5

Ultra-soft inner core layer for superior manageability and high flexibility.



NO KINK
NO TWIST



EASY TO
HANDLE



DRINKING
WATER
SAFE



COMPACT



PVC FREE



NO LEAKS



PUNCTURE
& ABRASION
RESISTANT



COLD
WEATHER
FLEXIBILITY




fitt hiflo™ & deck caddy set accessories

COUPLINGS

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** makes our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



HIGH WATER FLOW



fitt hiflo™ & deck caddy set assortment - selling unit



Model Number	Description	UPC Code	Case UPC	INDIVIDUAL UNIT					
				Each Qty	Each Cube/Feet	Each Weight/LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FFH51225	FITT HIFLO 25'	812554030514	28011963788320	1	0.09	1.56	2.95	9.84	5.51
FFH51250	FITT HIFLO 50'	812554030521	28011963788337	1	0.14	2.81	3.94	10.24	5.91
FFH51200	FITT HIFLO 100'	812554030538	28011963788344	1	0.27	5.28	5.71	11.02	7.28
FTH11230	FITT CADDY 30'	812554030828	20812554030822	1	0.24	2.65	9.45	5.51	7.87

Model Number	Case UPC	Case Pack Qty	Case Pack Cube/Feet	Case Pack Weight/LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches
FFH51225	28011963788320	8	1.16	15.70	6.70	20.10	15.00
FFH51250	28011963788337	8	2.09	27.00	8.30	23.60	18.50
FFH51200	28011963788344	4	1.64	25.20	9.80	21.90	13.20
FTH11230	20812554030822	3	0.98	9.04	10.24	8.86	17.91

fitt force® pro

Strongest and lightest hose for home and professional use.

Our **innovative technology** guarantees the combination of **high performance** and durability with **exceptional lightness**. Thanks to highly advanced materials the product is **extremely lightweight**, ensuring ease of use even in the most **extreme situations**.



WHY SHOULD YOU BUY IT?

- 1 - **2X LIGHTER** than a traditional PVC hose
- 2 - **3X MORE COMPACT** than a traditional PVC hose
- 3 - **LONG-LASTING** performance
- 4 - **SHELF SPACE ORGANIZATION** and **OPTIMIZATION**



FITT Force Pro is synonymous for innovation and quality with unique features.

The product is suitable for **intensive and professional use** such as **big yard watering, farming, landscaping, building site cleaning** and **industrial applications**.

1



High Durable Technology (HD TECH) cover is abrasion resistant and puncture proof. High manageability and high flexibility in extremely cold temperatures (-4°F).

2



Double NTS chain mesh technology reinforcement eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **450 psi** - from **36 psi** to **120 psi**.

4

No PVC, phthalates or lead – “drinking water safe!”

5

Ultra-soft inner core layer for superior manageability and high flexibility.



NO KINK
NO TWIST



EASY TO
STORE



DRINKING
WATER
SAFE



COMPACT



PVC FREE



NO MORE
LEAKS



PUNCTURE
& ABRASION
RESISTANT



COLD
WEATHER
FLEXIBILITY



fitt force® pro accessories

COUPLINGS

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** make our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



HIGH WATER FLOW



fitt force® pro assortment - selling unit



				INDIVIDUAL UNIT					
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/Feet	Each Weight/LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FFP55825	5/8" X 25' Commercial Grade Hose	812554030323	28011963786975	1	0.12	1.92	7.48	7.48	3.74
FFP59006	5/8" X 50' Commercial Grade Hose	812554030019	28011963772091	1	0.25	3.38	7.48	8.46	6.89
FFP59006QP	5/8" X 50' Commercial Grade Hose QP	812554030019	18011963772094	1	0.25	3.38	7.48	8.46	6.89
FFP55800	5/8" X 100' Commercial Grade Hose	812554030149	28011963782250	1	0.34	6.21	7.48	10.63	7.28
FFP58150	5/8" x 150' Commercial Grade Hose	812554030491	28011963787620	1	0.39	9.05	8.66	10.63	7.28
FFP53400	3/4" X 100' Commercial Grade Hose	812554030170	28011963782281	1	0.47	8.99	8.66	10.63	8.86

MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/Feet	Case Pack Weight/LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/Feet	Pallet Weight/LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FFP55825	8	1.37	16.92	9.06	16.54	15.75	240	56.7	536	51	40	48
FFP59006	6	2.25	22.72	9.06	18.50	23.23	120	56.7	483	51	40	48
FFP55800	4	1.85	26.94	9.06	22.44	15.75	80	56.7	568	51	40	48
FFP58150	4	2.01	38.42	9.84	22.44	15.75	64	53.3	643	48	40	48
FFP53400	4	2.42	38.38	9.84	22.44	18.90	64	53.3	643	48	40	48

fitt marine & rv hose set

High-quality hose and caddy are designed for ease of use and significant space savings.

Engineered to be the toughest and lightest hose designed for marine and RV use, it is **half the weight and more compact** than most heavy-duty vinyl hoses. It's easy to handle and makes cleaning easier than ever.

Combined with our convenient caddy, this hose set offers the **simplicity of organized storage** and is ideal for carrying.



WHY SHOULD YOU BUY IT?

- 1 - **2X LIGHTER** than a traditional PVC hose
- 2 - **3X MORE COMPACT** than a traditional PVC hose
- 3 - **LONG-LASTING** performance
- 4 - **SHELF SPACE ORGANIZATION** and **OPTIMIZATION**



FITT technology is durable and protects the hose from outdoor elements.

The high-quality materials and innovative construction are **resistant to UV rays, salt air and water**, making the hose long lasting and durable even in the most severe conditions. Featuring **no PVC, phthalates or lead, the hose is drinking water safe**, kink, twist and abrasion resistant and offers a puncture-proof outer layer.

1



High Durable Technology (HD TECH) cover is abrasion resistant and puncture proof. High manageability and high flexibility in extremely cold temperatures (-4°F).

2



The NTS chain mesh technology reinforcement eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **300 psi** - from **29 psi** to **100 psi**.

4

No PVC, phthalates or lead – “drinking water safe!”

5

Ultra-soft inner core layer for superior manageability and high flexibility.



SALT RESISTANT



EASY TO STORE



UV RESISTANT



NO MARRING



DRINKING WATER SAFE



NO MORE LEAKS



PVC FREE




PUNCTURE & ABRASION RESISTANT



NO KINK NO TWIST



COMPACT



fitt marine & rv accessories

COUPLINGS

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** makes our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



HIGH WATER FLOW



fitt marine & rv assortment - selling unit



			INDIVIDUAL UNIT						
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
MAR00025	1/2" X 25' Marine RV Hose	812554030620	28011963790682	1	0.086	1.58	2.96	9.45	5.32
MAR00050	1/2" X 50' Marine RV Hose	812554030637	28011963790699	1	0.146	3.03	7.48	11.6	6.11
FCAD0025	1/2" X 25' Caddy Marine RV Hose	812554030712	28011963792471	1	0.238	2.36	7.48	7.9	5.51



MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
MAR00025	9	0.987	16.43	9.06	10.5	17.92	360	56.67	694.7	51	40	48
MAR00050	6	1.358	20.39	8.27	13.6	20.87	150	52.22	547.25	47	40	48
FCAD0025	2	0.616	5.463	10.91	8.43	11.58	128	54.44	387.13	49	40	48

fitt aquamaster marine & rv

High-performance hose designed for effortless use in boating and recreational activities.

Next-generation hose crafted from high-quality thermoplastic polymers, combining the best features of PVC: kink-proof, burst-proof up to 350 psi, and exceptionally flexible, even in cold temperatures.



WHY SHOULD YOU BUY IT?

- 1 - HIGH-PERFORMANCE HOSE LIGHTER**
than a standard PVC hose
- 2 - REMOVABLE, REUSABLE COUPLINGS**
for extended hose life
- 3 - UV AND SALT WATER RESISTANT**
- 4 - ENGINEERED** for ultimate flexibility



FITT technology is durable and protects the hose from outdoor elements.

The high-quality materials and innovative construction are **resistant to UV rays, salt air and water**, making the hose long lasting and durable even in the most severe conditions. **Abrasion resistant** and offers a puncture-proof outer layer with no marring.

1



The SKY TECH external layer is specifically designed to resist cuts and abrasions. It makes the hose extremely smooth and easy to manage and slides easily on all surfaces, even corners.

2



The NTS chain mesh technology reinforcement eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **350 psi** - from **29 psi** to **100 psi**.

4

Featuring an integrated anti-algae barrier, our hose structure ensures optimal flow and longevity by preventing microbial growth within the system.

5

Ultra-soft inner core layer for superior manageability and high flexibility.



SALT
RESISTANT



UV
RESISTANT



NO KINK
NO TWIST



NO
MARRING



PUNCTURE
& ABRASION
RESISTANT



NO MORE
LEAKS



fitt equemaster marine & rv accessories

COUPLINGS

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** makes our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



fitt aquamaster marine & rv - selling unit



			INDIVIDUAL UNIT						
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FYM01225	1/2" X 25' Aquamaster Marine & RV Hose	812554030927	20812554030921	1	0.22	2.76	2.76	11.81	11.81



MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FYM01225	5	1.40	16.00	10.44	11.14	20.80	120	53.33	439.12	48.00	40.00	48.00

fitt aquamaster & leader hose

High-performance and easy to handle, this hose is perfect for intensive use.

Next-generation PVC hose, crafted from high-quality thermoplastic polymers. **Perfect for both home and professional use**, Aquamaster is kink-proof, burst-proof up to 350 psi, and remains exceptionally flexible, even in cold temperatures.

Versatile and efficient, our leader hose seamlessly **connects to any reel**, ensuring hassle-free watering every time.



WHY SHOULD YOU BUY IT?

- 1 - **HIGH-PERFORMANCE HOSE LIGHTER** than a standard PVC hose
- 2 - **REMOVABLE, REUSABLE COUPLINGS** for extended hose life
- 3 - **UNIVERSAL LEADER HOSE** with dual-ended couplings and an adapter for versatile connections
- 4 - **ENGINEERED** for ultimate flexibility

FITT Aquamaster embodies innovation and quality with unique features.

High performance is guaranteed by the unique and original NTS mesh, which makes FITT Aquamaster highly maneuverable, ensuring a continuous water flow.

Made with a special anti-UV formulation that prevents aging, FITT Aquamaster has a layered structure, including an inner black anti-algae layer, colored interior and intermediate layers, NTS mesh reinforcement, transparent outer covering, SKY TECH film with a special anti-UV formula that prevents aging and gives the hose a special satin finish.

1



The SKY TECH external layer is specifically designed to resist cuts and abrasions. It makes the hose extremely smooth and easy to manage and slides easily on all surfaces, even corners.

2



The NTS chain mesh technology reinforcement eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **350 psi** - from **29 psi** to **100 psi**.

4

Featuring an integrated anti-algae barrier, our hose structure ensures optimal flow and longevity by preventing microbial growth within the system.

5

Ultra-soft inner core layer for superior manageability and high flexibility.



NO KINK
NO TWIST



NO MORE
LEAKS



COLD
WEATHER
FLEXIBILITY



PUNCTURE
& ABRASION
RESISTANT



CRUSH
PROOF
COUPLINGS



fitt equemaster & leader hose accessories

COUPLINGS

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** makes our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



HIGH WATER FLOW



fitt aquamaster & leader hose - selling unit



			INDIVIDUAL UNIT						
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FTY05825	5/8" x 25' Aquamaster Hose	812554030903	20812554030907	1	0.25	3.40	2.76	12.60	12.60
FTY05850	5/8" x 50' Aquamaster Hose	812554030859	20812554030853	1	0.44	6.48	3.54	14.57	14.57
FTY05800	5/8" x 100' Aquamaster Hose	812554030866	20812554030860	1	0.73	12.54	5.91	14.57	14.57
FTY05810	5/8" x 10 ft Universal Leader Hose	812554030910	20812554030914	1	0.15	1.65	2.36	10.43	10.43



MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FTY05825	6	1.76	22.64	13.39	13.39	16.93	108	49.58	462.53	46.06	40.00	48.00
FTY05850	5	2.66	34.86	18.50	15.75	15.75	60	46.19	473.44	42.91	40.00	48.00
FTY05800	3	2.66	40.04	18.50	15.75	15.75	36	46.19	535.48	42.91	40.00	48.00
FTY05810	8	1.43	15.43	11.22	10.83	20.28	192	55.09	425.49	51.18	40.00	48.00

fitt aquamaster pro

Next-generation HYBRID professional hose, crafted from high-quality thermoplastic polymers.

Truly kink-proof, 25% lighter, and built to last, FITT Aquamaster PRO combines cutting-edge technology with ease of use, making it indispensable for professional applications—whether on farms, for landscaping, or for maintaining very large outdoor spaces. Extremely robust and durable, it withstands pressures of over 430 psi.



WHY SHOULD YOU BUY IT?

- 1 - HIGH-PERFORMANCE HOSE LIGHTER**
than a standard PVC hose
- 2 - REMOVABLE, REUSABLE COUPLINGS**
for extended hose life
- 3 - ENGINEERED** for ultimate flexibility



Exclusive technologies for performance beyond expectations.

Outstanding performance is guaranteed by the exclusive NTS PLUS mesh, which gives FITT Aquamaster PRO exceptional flexibility and ensures a steady, uninterrupted water flow.

Crafted with a special anti-UV formulation to resist aging, FITT Aquamaster PRO features a multi-layer structure: an inner black anti-algae barrier, colored inner and intermediate layers, NTS PLUS mesh reinforcement, a transparent outer sheath, and the SKY TECH film. This advanced film, enriched with anti-UV protection, not only prevents aging but also gives the hose its distinctive satin finish.

1



The SKY TECH external layer is specifically designed to resist cuts and abrasions. It ensures the hose extremely smooth, easy to manage, and glides easily on all surfaces, even around corners.

2



The NTS PLUS chain mesh technology reinforcement eliminates flow restriction caused by kinks and tangles.

3

Reinforced with high-tensile fibers, the hose withstands pressures beyond 430 psi while delivering reliable performance across a working range of 35–120 psi.

4

With its integrated anti-algae barrier, the hose is designed to maintain optimal water flow and long-lasting performance by preventing microbial growth inside the system.

5

Designed with an ultra-soft inner core for unmatched handling comfort and superior flexibility.



NO KINK
NO TWIST



NO MORE
LEAKS



COLD
WEATHER
FLEXIBILITY



PUNCTURE
& ABRASION
RESISTANT



CRUSH
PROOF
COUPLINGS



fitt equemaster pro accessories

FEATURES

- **ANODIZED ALUMINUM AND CRUSH-PROOF DESIGN** makes our couplings corrosion resistant and the strongest on the market
- **COMPRESSION FIT** construction forms a super strong, leakproof connection
- **REPAIRABLE** – the compression fit couplings can be removed and replaced without damaging the hose or couplings
- **STRAIN RELIEF COLLARS** ensure easy connection and uninterrupted flow



HIGH WATER FLOW

fitt aquamaster pro - selling unit



			INDIVIDUAL UNIT						
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FTYP3450	3/4" x 50' Aquamaster PRO Hose	812554031290	20812554031294	1	0.70	9.0	5.10	15.0	15.0
FTYP3400	3/4" x 100 ft Aquamaster PRO Hose	812554031306	20812554031300	1	1.20	18.1	9.10	15.0	15.0



MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FTYP3450	3	2.40	29.60	16.54	15.75	15.75	36	43.31	381.30	39.0	40.00	48.00
FTYP3400	2	2.70	38.60	18.50	15.75	15.75	24	47.68	489.90	43.0	40.00	48.00

fitt quantum

Durable, portable metal hose reel for floor or wall mounting – an all-in-one, convenient watering solution.

The Quantum hose reel is rust and corrosion-proof, with an **ultra-smooth winding system** and intelligent design for ultimate stability. It can be wall-mounted and easily removed for use on the ground.

It comes with a 100 ft. durable, kink-proof, and ultra-flexible hose, wall brackets, and a 10 ft. leader hose with quick connect. The innovative crank system and hose make rewinding effortless.



WHY SHOULD YOU BUY IT?

- 1 - **COMPLETE SOLUTION** includes Hose, Hose Reel and leader hose
- 2 - **100' OF HIGH-PERFORMANCE** hose
- 3 - **10' LEADER HOSE** with convenient quick connection to hose reel
- 4 - **DURABLE** all metal hose reel



Rust-proof, powder coated steel frame and an anti-corrosion, epoxy coated steel drum with Aquamaster hose included.

Its design and construction make it ultra-robust and stable, whether used on the ground or mounted on a wall.

The Aquamaster is durable, kink-proof, and ultra-flexible.

1



The SKY TECH external layer is specifically designed to resist cuts and abrasions. It makes the hose extremely smooth and easy to manage and slides easily on all surfaces, even corners.

2



The NTS chain mesh technology reinforcement eliminates flow restriction due to kinks and tangles.

3

High-tensile fiber reinforcement layer ensures pressure > **350 psi** - from **29 psi** to **100 psi**.

4

Featuring an integrated anti-algae barrier, our hose structure ensures optimal flow and longevity by preventing microbial growth within the system.

5

Ultra-soft inner core layer for superior manageability and high flexibility.

HIGH PERFORMANCE HOSES



CRUSH
PROOF
COUPLINGS



PUNCTURE
& ABRASION
RESISTANT



NO KINK
NO TWIST



SLIDES
EASILY



COLD
WEATHER
FLEXIBILITY

RUST-PROOF STEEL HOSE REEL



CRUSH
RESISTANCE



WEATHER
RESISTANT



fitt quantum accessories

FEATURES

- **CONVENIENT WATERING:** Comes with a 10 ft. leader hose and a 100 ft., high-performance knitted Aquamaster hose with an anti-friction surface for smooth, quick watering
- **PORTABLE:** Can be wall-mounted and easily removed for use on the ground
- **EASY REWIND:** Ultra smooth winding system and intelligent design for ultimate stability to retract your hose with minimal effort
- **DURABLE:** Rust-proof, powder coated steel frame and an anti-corrosion, epoxy coated steel drum



HIGH WATER FLOW



fitt quantum - selling unit



INDIVIDUAL UNIT									
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FTY65800	FITT Quantum Metal Hose Reel with 100ft of 5/8" High Performance Aquamaster NTS Hose	812554030873	N/A	1	2.52	28.22	16.73	16.73	15.55

MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FTY65800	N/A	N/A	N/A	N/A	N/A	N/A	12	42.38	393.75	39.37	40.00	48.00

fitt spreel

An automatic hose reel design with a Slow Rewind mechanism makes watering effortless.

Our innovative hose reel has advanced technology to make watering a breeze. Its exclusive Slow Rewind mechanism ensures smooth, safe, and easy hose retraction every time.

Slow Rewind technology ensures a gradual and controlled retraction of the hose, preventing tangling and enhancing safety by reducing speed and impact.



WHY SHOULD YOU BUY IT?

- 1 - **COMPLETE SOLUTION** with hose and reel
- 2 - **100' HIGH-PERFORMANCE** hose
- 3 - **6' LEADER HOSE** with strain relief
- 4 - **SLOW REWIND RETRACTION** system



Built for durability, it features impact and sunlight-resistant materials with a reliable stainless steel winding mechanism.

The reinforced resin wall mount is supported by a rust-proof aluminum pin. a hose with full 180° swivel capability, allowing for smooth movement in either direction without tangling or obstruction.

Equipped with a 100 ft. high-performance braided hose, the Spreel delivers unmatched flexibility, durability, and kink resistance.

1



The SKY TECH external layer is specifically designed to resist cuts and abrasions. It makes the hose extremely smooth and easy to manage and slides easily on all surfaces, even corners.

2

The textile mesh reinforcement ensures the total stability of the hose, guaranteeing a constant flow of water.

3

Featuring an integrated anti-algae barrier, our hose structure ensures optimal flow and longevity by preventing microbial growth within the system.

4

High-tensile fiber reinforcement layer ensures pressure > 300 psi - from 29 psi to 100 psi.

5

Ultra-soft inner core layer for superior manageability and high flexibility.

HIGH PERFORMANCE HOSE



CRUSH PROOF COUPLINGS



PUNCTURE & ABRASION RESISTANT



NO KINK NO TWIST



SLIDES EASILY



COLD WEATHER FLEXIBILITY


STAINLESS STEEL SYSTEM



180° SWIVEL WALL MOUNTING BRACKET



SLOW REWIND SYSTEM




fitt spreel accessories

FEATURES

- **CONVENIENT WATERING:** Comes with a 6 ft. leader hose and a 100 ft., high-performance braided hose with an anti-friction surface for smooth, quick watering and can be locked to any length
- **DURABLE:** Features impact and sunlight-resistant materials with a reliable stainless steel winding mechanism. Easily remove and store indoors during extreme weather
- **EASY AND SAFE REWIND** Innovative Slow Rewind technology ensures a gradual and controlled retraction of the hose, preventing tangling and enhanced safety by reducing speed and impact
- **PIVOTING WALL MOUNT:** Reinforced resin wall mount is supported by a rust-proof aluminum pin and a hose with full 180° swivel capability, allowing for smooth movement in either direction without obstruction



HIGH WATER FLOW




fitt spreel - selling unit



			INDIVIDUAL UNIT						
Model Number	Description	UPC Code	Case UPC	Each Qty	Each Cube/ Feet	Each Weight/ LBS	Each Height Inches	Each Width Inches	Each Depth Inches
FTY35800	FITT Spreel 1/2" x 100ft Auto Hose Reel	812554030781	N/A	1	2.96	35.28	20.47	11.03	22.64

MASTER PACK							PALLET					
Model Number	Case Pack Qty	Case Pack Cube/ Feet	Case Pack Weight/ LBS	Case Pack Height Inches	Case Pack Width Inches	Case Pack Depth Inches	Pallet Qty	Pallet Cube/ Feet	Pallet Weight/ LBS	Pallet Height Inches	Pallet Width Inches	Pallet Depth Inches
FTY35800	N/A	N/A	N/A	N/A	N/A	N/A	12	52.22	478.48	47.00	40.00	48.00

notes






Certified



Corporation

This company is committed to
accountability, transparency,
and continuous improvement.

NTS, , Fitt, Fitt Force, Fitt HiFlo are registered
trademarks of Fitt S.p.A.

FITT Force, FITT HiFlo, FITT Marine/RV are
covered by several issued and pending US
and international patents, design patents, and
trademarks owned by FITT S.p.A. For more
information, please visit usa.fitt.com/patents.

For more information:

FITT USA Inc.

136 Corporate Park Drive, Suite I
 Mooresville, North Carolina USA
 customercare.usa@fitt.com
 usa.fitt.com