

fitte rein



Rainwater system

fitte 

EN



Cutting-edge technology combined with “**Made in Italy**” design.
 This is how we develop innovative fluid conveying solutions.
 We’ve been doing this for **50 years**, always guaranteeing reliable, safe, high-performing solutions.
 All while fully respecting the environment.



Fitt is founded thanks to the passion and visionary creativity of its founder, **Rinaldo Mezzalira**.



The company becomes a leader in Italy and strengthens its presence in the European market.



Fitt goes on with its expansion in extra European markets.



The second-generation entrepreneur, **Alessandro Mezzalira**, takes over and leads the Group without breaking with the past.



Fitt celebrates 50 years and launches YOYO in the USA.



FITT is an international leader and pioneer in the development of fluid transfer solutions for the domestic, professional and industrial sectors, for the creation of latest generation technologies.

Our mission

For 50 years we have been manufacturing complete thermoplastic material fluid transfer systems. These systems are designed both for the industrial and building sector, for infrastructural and civil engineering applications, but also for domestic applications, from gardening to hobbies. We create latest generation technologies that guarantee to our customers reliability, safety, maximum performance and simplicity of use.

Flowing forward

The sustainability of our technologies, production processes and products is a distinguishing element of the company and our products. We strongly believe that by bringing together investments, strong sense of responsibility and better strategies we will be able to overcome the challenges of the environment. The task that we are called fulfil is to contribute to make this world a better place, for us and for future generations.

Continuous innovation

We have created technologies that have revolutionised our markets of activity. A digital concept Lab fully dedicated to the development of new products and process technologies supports our innovation capabilities, making sure that they are continuous and constant. The place where know and know-how meet. We strongly believe in Open Innovation and work with an international network of partners and research bodies. We use external certifying bodies, such as TÜV, for the validation of our quality protocols and tests.

Global presence

Established in 1969 with main headquarters in Sandrigo (Vicenza), FITT is structured on different production sites and commercial and distribution branches all over Europe and beyond. The company has a turnover of 227 million Euro and exports to 87 countries around the world. It has a total staff of 850, 8 production sites (5 in Italy and 3 in Europe), 9 logistic sites around the world and 6 commercial branches.



index

G80

10



G125

16



G165

24



C140

30




The right gutter profile for every roof

Gutters, as rainwater gatherers, are requested to grant high quality attributes and great performances. Having a long time robustness in spite of all weather conditions is a must too. A further characteristic needed by gutters is also a natural fusion with the landscape context where they are going to be placed in. Different climates, panoramas and architectonic styles, call for specific rainwater; requiring them to be able to have a proper harmonization with specific buildings of each geographic area.

In order to fulfill such complex market's requests, FITT produces a wide and complete range of PVC rainwater, offering highest physicalmechanics and aesthetical characteristics.

Quality materials, functionality and design are easy to be found in all four FITT rainwater. They are available in both mono or co-extruded version with color ranges spacing from traditional to new fashion ones.



SERVED SURFACE	PROFILE	GUTTER DEVELOPMENT	RAIN PIPE DIAMETER
less than 35 m ²	G80	16 cm	Ø50 mm
between 35 and 80 m ²	G125	25 cm	Ø80 mm
greater than 80 m ²	G165	33 cm	Ø100 mm
between 35 and 80 m ²	C140	29,5 cm	Ø80 mm

Rainwater system plus

COEXTRUSION




FITT Rain offers a range of co-extruded gutters and rain pipes. Coextrusion is the technology in which two different types of thermopolymers are formed into a multi-layer product. This combination of materials ensures greater strength, long-term protection against atmospheric conditions and prevents cracks and leaks caused by expansion in case of extreme heat.



ADJUSTABLE BEND

NEW

22° - 87°



ADJUSTABLE ANGLE

NEW

60° - 160°

The adjustable angle allows to perform sections at 60°, 90°, 120°, 135° and 160°, guaranteeing the necessary flexibility to preserve the curvature angle of the gutter profile.

The lines allow a precise angle cut.

The adjustable angle can be positioned and glued after cutting through the three EPDM gaskets available.



UNIVERSAL STOP END


FITT rain offers an innovative universal stop end, adaptable both for the left and right side of the gutter and suitable also for outlet (glued system).

FITT increase its offers with a specific universal stop end for central outlet (glued and seal system).



INVISIBLE FASCIA BRACKET

Functionality and aesthetic: the concealed supporting system of the gutter, being invisible from below, allows to fully appreciate the finishing of the different colors and the purity of profiles (available for C140 rainwater system).




WAVE ROOF FIXING

FITT Rain wave roof fixing is adjustable to fit perfectly the slope of the roof.

Thanks to the elongated hole and the stainless steel bolts, the wave roof fixing allows to attach the PVC bracket to any height. This unique accessory allows to fix the gutter on corrugated metal sheet and small thickness roofs.


FITT Rain wave roof fixing can be oriented thanks to marks (specifying angle value) and to the locking of the desired position, thus allowing preparation of materials before installation.



FITTING SYSTEMS

FITT Rain is complete, easy adaptable to buildings of every size and user-friendly: assembly is possible both by gluing and by means of gaskets, allowing effortless jointing.

The compressible EPDM gaskets guarantee longer tightness and duration. This system results in flexible, watertight and leak proof-joint.



G80

FITT's rainwater is complete, easy adaptable to any building dimension and user friendly to be assembled. Setting is possible both by gluing and by means of gaskets. The gasket, made of EPDM, guarantees longer tightness and duration, lengthening the time between each replacement.



COLOR RANGE



RAL 1015
sand




RAL 7035
light grey



Colors do not exactly coincide with RAL System, but an attempt has been made to reproduce the most similar colors

PROFILE	SHAPE	ASSEMBLY MODE	GARDEN SHELTER	HOUSE	DETACHED HOUSE	VILLA	AGRO/ INDUSTRIAL BUILDING
G80		GLUE	✓				
		SEAL	✓				



G80 rainwater system
















1. Universal angle
2. Gutter
3. Outlet
4. Fascia bracket
5. Joint
6. Universal stop end

7. Bend
8. Raining pipe $\varnothing 50$ mm
9. Coupling
10. Branch
11. Pipe clip
12. Bend



G80 components

MODEL	DESCRIPTION	QTY / PACK	LENGTH / PACK	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Gutter - 2 mt	10	20 mt	–	600	1.200 mt	● sand	330210802010301	5411175064974	–
	Gutter - 4 mt	10	40 mt	–	600	2.400 mt	● sand	330210804010301	5411175064967	–
	Gutter - 2 mt	10	20 mt	–	600	1.200 mt	● light grey	330410802010301	5411175017659	–
	Gutter - 4 mt	10	40 mt	–	600	2.400 mt	● light grey	330410804010301	5411175051066	–
	Raining pipe ø50 - 2 mt	10	20 mt	–	220	440 mt	● sand	308020502012301	5411175098498	FR, ES, UK, IT
	Raining pipe ø50 - 4 mt	10	40 mt	–	220	880 mt	● sand	308020504012301	5411175086686	FR, ES, UK, IT
	Raining pipe ø50 - 2 mt	10	20 mt	–	220	440 mt	● light grey	308040502012301	5411175088024	FR, ES, UK, IT
	Raining pipe ø50 - 4 mt	10	40 mt	–	220	880 mt	● light grey	308040504012301	5411175032270	FR, ES, UK, IT

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Fascia Bracket	–	100	30 x 20 x 31 cm	12.000	–	● sand	4107659	3396046721625	FR, ES, UK, IT
	Fascia Bracket	–	100	30 x 20 x 31 cm	12.000	–	● light grey	4107660	3396046721618	FR, ES, UK, IT
	External 90° angle (with rubber seal)	–	15	30 x 20 x 31 cm	1.800	–	● sand	4107580	3396046765421	FR, ES, UK, IT
	External 90° angle (with rubber seal)	–	15	30 x 20 x 31 cm	1.800	–	● light grey	4107582	3396046765414	FR, ES, UK, IT
	Internal 90° angle (with rubber seal)	–	15	D	1.800	–	● light grey	4107581	3396046776427	FR, ES, UK, IT
	Internal 90° angle (with rubber seal)	–	15	D	1.800	–	● sand	4107583	3396046776410	FR, ES, UK, IT
	Joint (with rubber seal)	–	40	30 x 20 x 31 cm	4.800	–	● sand	4107740	3396046761423	FR, ES, UK, IT
	Joint (with rubber seal)	–	40	30 x 20 x 31 cm	4.800	–	● light grey	4107741	3396046761416	FR, ES, UK, IT
	Joint (to be glued)	20	–	119 x 79 x 104	8.000	–	● sand	4107742	3396046711008	FR, ES, UK, IT
	Joint (to be glued)	20	–	119 x 79 x 104	8.000	–	● light grey	4107743	3396046799860	FR, ES, UK, IT
	Central outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● sand	4107696	3396046762420	FR, ES, UK, IT
	Central outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● light grey	4107697	3396046762413	FR, ES, UK, IT
	Left outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● sand	4107692	3396046763427	FR, ES, UK, IT
	Left outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● light grey	4107693	3396046763410	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● sand	4107691	3396046764424	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	16	30 x 20 x 31 cm	1.920	–	● light grey	4107694	3396046764417	FR, ES, UK, IT

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Central outlet (to be glued)	10	–	119 x 79 x 104	1.300	–	● sand	4107698	3396046711107	FR, ES, UK, IT
	Central outlet (to be glued)	10	–	119 x 79 x 104	1.300	–	● light grey	4107699	3396046799877	FR, ES, UK, IT
	Left stop end (to be glued)	–	150	30 x 20 x 31 cm	18.000	–	● sand	4107722	3396046767425	FR, ES, UK, IT
	Left stop end (to be glued)	–	150	30 x 20 x 31 cm	18.000	–	● light grey	4107724	3396046767418	FR, ES, UK, IT
	Right stop end (to be glued)	–	150	30 x 20 x 31 cm	18.000	–	● sand	4107723	3396046768422	FR, ES, UK, IT
	Right stop end (to be glued)	–	150	30 x 20 x 31 cm	18.000	–	● light grey	4107725	3396046768415	FR, ES, UK, IT
	Universal stop end (to be glued)	20	–	119 x 79 x 104 cm	11.000	–	● sand	4107726	3396046799891	FR, ES, UK, IT
	Universal stop end (to be glued)	20	–	119 x 79 x 104 cm	11.000	–	● light grey	4107727	3396046799884	FR, ES, UK, IT
	Bend 45° Ø50 FF	–	40	30 x 20 x 31 cm	2.400	–	● light grey	4107605	3396046786419	FR, ES, UK, IT
	Bend 45° Ø50 MF	–	40	30 x 20 x 31 cm	2.400	–	● sand	4107603	3396046769429	FR, ES, UK, IT
	Bend 45° Ø50 MF	–	40	30 x 20 x 31 cm	2.400	–	● light grey	4107604	3396046769412	FR, ES, UK, IT
	Bend 67° Ø50 FF	–	30	30 x 20 x 31 cm	1.800	–	● sand	4107601	3396046777424	FR, ES, UK, IT
	Bend 67° Ø50 FF	–	30	30 x 20 x 31 cm	1.800	–	● light grey	4107602	3396046777417	FR, ES, UK, IT
	Bend 67° Ø50 MF	–	30	30 x 20 x 31 cm	1.800	–	● sand	4107599	3396046770425	FR, ES, UK, IT
	Bend 67° Ø50 MF	–	30	30 x 20 x 31 cm	1.800	–	● light grey	4107600	3396046770418	FR, ES, UK, IT
	Bend 87° Ø50 FF	–	25	30 x 20 x 31 cm	1.500	–	● sand	4107596	3396046778421	FR, ES, UK, IT
	Bend 87° Ø50 FF	–	25	30 x 20 x 31 cm	1.500	–	● light grey	4107598	3396046778414	FR, ES, UK, IT
	Bend 87° Ø50 MF	–	25	30 x 20 x 31 cm	1.500	–	● sand	4107595	3396046771422	FR, ES, UK, IT
	Bend 87° Ø50 MF	–	25	30 x 20 x 31 cm	1.500	–	● light grey	4107597	3396046771415	FR, ES, UK, IT

G80 components

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Branch 45° ø50 MF	–	15	30 x 20 x 31 cm	900	–	● sand	4107629	3396046772429	FR, ES, UK, IT
	Branch 45° ø50 MF	–	15	30 x 20 x 31 cm	900	–	● light grey	4107628	3396046772412	FR, ES, UK, IT
	Branch 87° ø50 MF	–	15	30 x 20 x 31 cm	900	–	● sand	4107626	3396046773426	FR, ES, UK, IT
	Branch 87° ø50 MF	–	15	30 x 20 x 31 cm	900	–	● light grey	4107627	3396046773419	FR, ES, UK, IT
	Coupling ø50 FF	–	50	30 x 20 x 31 cm	6.000	–	● sand	4107642	3396046774423	FR, ES, UK, IT
	Coupling ø50 FF	–	50	30 x 20 x 31 cm	6.000	–	● light grey	4107643	3396046774416	FR, ES, UK, IT
	Pipe clip ø50	6	600	C	–	–	● sand	4108084 ^(*)	8011963780283 ^(*)	FR, ES, UK, IT
	Pipe clip ø50	6	600	C	–	–	● light grey	4108083 ^(*)	8011963780276 ^(*)	FR, ES, UK, IT

(*) upon request



G125

FITT's rainwater is complete, easy adaptable to any building dimension and user friendly to be assembled. Setting is possible both by gluing and by means of gaskets. The gasket, made of EPDM, guarantees longer tightness and duration, lengthening the time between each replacement.




COLOR RANGE



Colors do not exactly coincide with RAL System, but an attempt has been made to reproduce the most similar colors

PROFILE	SHAPE	ASSEMBLY MODE	GARDEN SHELTER	HOUSE	DETACHED HOUSE	VILLA	AGRO/ INDUSTRIAL BUILDING
G125		GLUE		✓	✓		
		SEAL		✓	✓		

G125 rainwater system



1. Angle

2. Gutter

3. Outlet

4. Fascia bracket

5. Joint

6. Stop end

7. Bend

8. Raining pipe $\varnothing 80$ mm



9. Coupling

10. Branch









11. Pipe clip

12. Pipe shoe

G125 components









MODEL	DESCRIPTION	QTY / PACK	LENGTH / PACK	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Gutter - 3 mt	10	30 mt	–	250	750 mt	○ white	338031253003660	8011963764672	–
	Gutter - 4 mt	10	40 mt	–	250	1.000 mt	○ white	330311254013301	5411175084309	–
	Gutter - 2 mt	10	20 mt	–	250	500 mt	● sand	330211252013301	3396046702549	–
	Gutter - 4 mt	10	40 mt	–	250	1.000 mt	● sand	330211254013301	3396046702525	–
	Gutter - 3 mt	10	30 mt	–	250	750 mt	● copper	330711253003660 ^(*)	8011963780290	–
	Gutter - 3 mt	10	30 mt	–	250	750 mt	● red	338051253003660	8011963764689	–
	Gutter - 3 mt	10	30 mt	–	250	750 mt	● brown	338011253003660	8011963764665	–
	Gutter - 3 mt	10	30 mt	–	250	750 mt	● anthracite coex	338061253017600	8011963764696	–
	Gutter - 2 mt	10	20 mt	–	250	500 mt	● graphite	331011252013301	8011963771847	–
	Gutter - 4 mt	10	40 mt	–	250	1.000 mt	● graphite	331011254013301	8011963771854	–
	Gutter - 2 mt	10	20 mt	–	250	500 mt	● light grey	330411252013301	3396046702532	–
	Gutter - 4 mt	10	40 mt	–	250	1.000 mt	● light grey	330411254013301	3396046702518	–
	Raining pipe ø80 - 3mt	10	30 mt	–	125	375 mt	○ white	308030803006600	8011963764719	FR, ES, PT, UK
	Raining pipe ø80 - 4mt	10	40 mt	–	180	540 mt	○ white	308030804015301	3396046710834	FR, ES, UK, IT
	Raining pipe ø80 - 2mt	10	20 mt	–	180	360 mt	● sand	308020802015301	3396046710926	FR, ES, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	180	540 mt	● sand	308020803015301	3396046712029	FR, ES, UK, IT
	Raining pipe ø80 - 4mt	10	40 mt	–	180	540 mt	● sand	308020804015301	3396046710827	FR, ES, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	125	375 mt	● copper	300750803006600 ^(*)	8011963780306 ^(*)	PL, RO, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	125	375 mt	● red	308050803006600	8011963764726	PL, RO, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	125	375 mt	● brown	308010803006600	8011963764702	PL, RO, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	125	375 mt	● anthracite coex	308060803006600	8011963764733	FR, ES, PT, UK
	Raining pipe ø80 - 2mt	10	20 mt	–	180	360 mt	● graphite	308100802015301	8011963771823	FR, ES, UK, IT
	Raining pipe ø80 - 4mt	10	40 mt	–	180	540 mt	● graphite	308100804015301	8011963771830	FR, ES, UK, IT
	Raining pipe ø80 - 2mt	10	20 mt	–	180	360 mt	● light grey	308000802015301	3396046710919	FR, ES, UK, IT
	Raining pipe ø80 - 3mt	10	30 mt	–	180	540 mt	● light grey	308000803015301	3396046712036	FR, ES, UK, IT
	Raining pipe ø80 - 4mt	10	40 mt	–	180	540 mt	● light grey	308000804015301	3396046710810	FR, ES, UK, IT

(*) upon request






MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Fascia bracket	–	100	60 x 20 x 31 cm	6.000	–	○ white	4107653	3396046722530	FR, ES, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	6.000	–	● sand	4107651	3396046722523	FR, ES, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	3.000	–	● copper	4108085 ^(*)	8011963780313 ^(*)	PL, RO, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	3.000	–	● red	4106951	8011963763750	PL, RO, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	3.000	–	● brown	4106930	8011963763736	PL, RO, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	3.000	–	● anthracite	4106950	8011963763767	FR, ES, PT, UK
	Fascia bracket	–	100	60 x 20 x 31 cm	6.000	–	● graphite	4108056	8011963771779	FR, ES, UK, IT
	Fascia bracket	–	100	60 x 20 x 31 cm	6.000	–	● light grey	4107649	3396046722516	FR, ES, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	6.000	–	○ white	4106949	8011963763859	FR, ES, PT, UK
	Wave roof fixing	–	100	60 x 20 x 31 cm	6.000	–	● red	4107003	8011963763873	PL, RO, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	6.000	–	● brown	4106942	8011963763842	PL, RO, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	6.000	–	● anthracite	4106982	8011963763866	FR, ES, PT, UK
	Universal angle 90° (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● sand	4107574	3396046765629	FR, ES, UK, IT
	Universal angle 90° (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● copper	4108086 ^(*)	8011963780320 ^(*)	PL, RO, UK, IT
	Universal angle 90° (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● graphite	4108049	8011963771700	FR, ES, UK, IT
	Universal angle 90° (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● light grey	4107575	3396046765612	FR, ES, UK, IT
	Universal angle 90° (with rubber seal)	–	12	60 x 20 x 31 cm	360	–	○ white	4106954	8011963764436	FR, ES, PT, UK
	Universal angle 90° (with rubber seal)	–	12	60 x 20 x 31 cm	360	–	● copper	4108087 ^(*)	8011963780337 ^(*)	PL, RO, UK, IT
	Universal angle 90° (with rubber seal)	–	12	60 x 20 x 31 cm	360	–	● red	4107004	8011963764443	PL, RO, UK, IT
	Universal angle 90° (with rubber seal)	–	12	60 x 20 x 31 cm	360	–	● brown	4107055	8011963764429	PL, RO, UK, IT
	Universal angle 90° (with rubber seal)	–	12	60 x 20 x 31 cm	360	–	● anthracite	4106932	8011963764450	FR, ES, PT, UK
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	○ white	4107220	8011963766676	FR, ES, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● sand	4107180	8011963766603	FR, ES, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● copper	4107176	8011963765969	PL, RO, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● red	4107182	8011963766027	PL, RO, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● brown	4107175	8011963765952	PL, RO, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● anthracite	4108074	8011963772202	FR, ES, PT, UK
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● graphite	4107219	8011963766669	PL, RO, UK, IT
	Adjustable angle 90°-160° (with rubber seal)	–	7	60 x 40 x 31 cm	–	–	● light grey	4107221	8011963766683	FR, ES, UK, IT
	Union bracket (to be glued)	–	50	60 x 20 x 31 cm	3.000	–	○ white	4107734	3396046761638	FR, ES, UK, IT
	Union bracket (to be glued)	–	50	60 x 20 x 31 cm	3.000	–	● sand	4107732	3396046761621	FR, ES, UK, IT
	Union bracket (to be glued)	–	50	60 x 20 x 31 cm	3.000	–	● graphite	4108059	8011963771809	FR, ES, UK, IT
	Union bracket (to be glued)	–	50	60 x 20 x 31 cm	3.000	–	● light grey	4107730	3396046761614	FR, ES, UK, IT
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	900	–	○ white	4107050	8011963764276	FR, ES, PT, UK
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	1.800	–	● sand	4107733	3396046761829	FR, ES, UK, IT
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	900	–	● copper	4108088 ^(*)	8011963780344 ^(*)	PL, RO, UK, IT
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	900	–	● red	4106999	8011963764283	PL, RO, UK, IT
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	900	–	● brown	4107142	8011963764269	PL, RO, UK, IT
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	900	–	● anthracite	4106998	8011963764290	FR, ES, PT, UK
	Union bracket (with rubber seal)	–	30	60 x 20 x 31 cm	1.800	–	● light grey	4107731	3396046761812	FR, ES, UK, IT
	Central outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	○ white	4107669	3396046762635	FR, ES, UK, IT
	Central outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● sand	4107667	3396046762628	FR, ES, UK, IT
	Central outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● graphite	4108057	8011963771786	FR, ES, UK, IT
	Central outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107665	3396046762611	FR, ES, UK, IT

(*) upon request

G125 components

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	300	–	○ white	4107997	8011963764474	FR, ES, PT, UK
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● sand	4107668	3396046762123	FR, ES, UK, IT
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	300	–	● copper	4108089 ^(*)	8011963780351 ^(*)	PL, RO, UK, IT
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	300	–	● red	4106979	8011963764481	PL, RO, UK, IT
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	300	–	● brown	4107049	8011963764467	PL, RO, UK, IT
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	300	–	● anthracite	4107169	8011963764498	FR, ES, PT, UK
	Central outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107666	3396046762116	FR, ES, UK, IT
	Left outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● sand	4107673	3396046763120	FR, ES, UK, IT
	Left outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107671	3396046763113	FR, ES, UK, IT
	Left outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● sand	4107672	3396046763625	FR, ES, UK, IT
	Left outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107670	3396046763618	FR, ES, UK, IT
	Right outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● sand	4107676	3396046764622	FR, ES, UK, IT
	Right outlet (to be glued)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107674	3396046764615	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● sand	4107677	3396046764127	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107675	3396046764110	FR, ES, UK, IT
	Universal stop end (to be glued)	20	40	30 x 20 x 31 cm	2.400	–	○ white	4107713	3396046792182	FR, ES, UK, IT
	Universal stop end (to be glued)	20	40	30 x 20 x 31 cm	2.400	–	● sand	4107717	3396046792175	FR, ES, UK, IT
	Universal stop end (to be glued)	20	40	30 x 20 x 31 cm	2.400	–	● copper	4108089 ^(*)	8011963780351 ^(*)	PL, RO, UK, IT
	Universal stop end (to be glued)	–	40	30 x 20 x 31 cm	2.400	–	● red	4106981	8011963763798	PL, RO, UK, IT
	Universal stop end (to be glued)	–	40	30 x 20 x 31 cm	2.400	–	● brown	4107037	8011963763774	PL, RO, UK, IT
	Universal stop end (to be glued)	–	40	30 x 20 x 31 cm	2.400	–	● anthracite	4106980	8011963763804	FR, ES, PT, UK
	Universal stop end (to be glued)	20	40	30 x 20 x 31 cm	2.400	–	● graphite	4108058	8011963771793	FR, ES, UK, IT
	Universal stop end (to be glued)	20	40	30 x 20 x 31 cm	2.400	–	● light grey	4107714	3396046792168	FR, ES, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	○ white	4108008	8011963764658	FR, ES, PT, UK
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● sand	4108065	8011963772240	FR, ES, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● copper	4108062	8011963772219	PL, RO, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● red	4108009	8011963764641	PL, RO, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● brown	4108007	8011963764627	PL, RO, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● anthracite	4108011	8011963764634	FR, ES, PT, UK
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● graphite	4108063	8011963772226	PL, RO, UK, IT
	Convex stop end (to be glued)	–	64	60 x 40 x 31 cm	–	–	● light grey	4108064	8011963772233	FR, ES, UK, IT
	Stop end for central outlet with rubber seal	–	40	30 x 20 x 31 cm	2.400	–	○ white	4106948	8011963764351	FR, ES, PT, UK
	Stop end for central outlet with rubber seal	–	40	30 x 20 x 31 cm	2.400	–	● red	4106996	8011963764368	PL, RO, UK, IT
	Stop end for central outlet with rubber seal	–	40	30 x 20 x 31 cm	2.400	–	● brown	4106947	8011963764344	PL, RO, UK, IT
	Stop end for central outlet with rubber seal	–	40	30 x 20 x 31 cm	2.400	–	● anthracite	4107005	8011963764375	FR, ES, PT, UK

(*) upon request

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	○ white	4107228	8011963766768	FR, ES, PT, UK
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● sand	4108091(*)	8011963780375(*)	FR, ES, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● copper	4107171	8011863765372	PL, RO, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● red	4107172	8011863765389	PL, RO, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● brown	4107196	8011963766218	PL, RO, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● anthracite	4108077	8011963772301	FR, ES, PT, UK
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● graphite	4107170	8011863765365	PL, RO, UK, IT
	Stabilizator	–	100	30 x 20 x 31 cm	6.000	–	○ white	4106946	8011963764597	FR, ES, PT, UK
	Stabilizator	–	100	30 x 20 x 31 cm	6.000	–	● red	4106960	8011963764603	PL, RO, UK, IT
	Stabilizator	–	100	30 x 20 x 31 cm	6.000	–	● brown	4106945	8011963764580	PL, RO, UK, IT
	Stabilizator	–	100	30 x 20 x 31 cm	6.000	–	● anthracite	4106959	8011963764610	FR, ES, PT, UK
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	○ white	4107619	3396046769634	FR, ES, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● sand	4107611	3396046769627	FR, ES, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● red	4106933	8011963764566	PL, RO, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● brown	4107145	8011963764542	PL, RO, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● anthracite	4106901	8011963764573	FR, ES, PT, UK
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● graphite	4108052	8011963771731	FR, ES, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● light grey	4107612	3396046769610	FR, ES, UK, IT
	Bend ø80 45° FF	–	25	60 x 20 x 31 cm	750	–	○ white	4108046	3396046776632	FR, ES, UK, IT
	Bend ø80 45° FF	–	25	60 x 20 x 31 cm	750	–	● sand	4107593	3396046776625	FR, ES, UK, IT
	Bend ø80 45° FF	–	25	60 x 20 x 31 cm	750	–	● light grey	4107594	3396046776618	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	○ white	4107617	3396046770630	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● sand	4107609	3396046770623	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● red	4107279	8011963769738	PL, RO, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● red	4106857	8011963764405	PL, RO, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● brown	4107138	8011963764382	PL, RO, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● anthracite	4107006	8011963764412	FR, ES, PT, UK
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● graphite	4108051	8011963771724	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● light grey	4107610	3396046770616	FR, ES, UK, IT
	Bend ø80 67° FF	–	20	60 x 20 x 31 cm	600	–	○ white	4107621	3396046777639	FR, ES, UK, IT
	Bend ø80 67° FF	–	20	60 x 20 x 31 cm	600	–	● sand	4107615	3396046777622	FR, ES, UK, IT
	Bend ø80 67° FF	–	20	60 x 20 x 31 cm	600	–	● light grey	4107616	3396046777615	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	○ white	4107618	3396046771637	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● sand	4107608	3396046771620	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● red	4106917	8011963765464	PL, RO, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● brown	4107130	8011963767420	PL, RO, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● anthracite	4106967	8011963765785	FR, ES, PT, UK
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● graphite	4108050	8011963771717	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● light grey	4107607	3396046771613	FR, ES, UK, IT
	Bend ø80 87° FF	–	20	60 x 20 x 31 cm	600	–	○ white	4107620	3396046778636	FR, ES, UK, IT
	Bend ø80 87° FF	–	20	60 x 20 x 31 cm	600	–	● sand	4107614	3396046778629	FR, ES, UK, IT
	Bend ø80 87° FF	–	20	60 x 20 x 31 cm	600	–	● light grey	4107613	3396046778612	FR, ES, UK, IT

(*) upon request

G125 components

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	○ white	4107183	8011963766089	FR, ES, PT, UK
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● sand	4107186	8011963766119	FR, ES, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● copper	4107223	8011963766690	PL, RO, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● red	4107224	8011963766706	PL, RO, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● brown	4107551	8011963766072	PL, RO, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● anthracite	4106965	8011963765754	FR, ES, PT, UK
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● graphite	4107184	8011963766096	PL, RO, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● light grey	4107174	8011963765945	FR, ES, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107633	3396046772634	FR, ES, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107632	3396046772627	FR, ES, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● red	4106970	8011963765815	PL, RO, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● brown	4107165	8011963767529	PL, RO, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● anthracite	4106969	8011963771687	FR, ES, PT, UK
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● graphite	4108053	8011963771748	FR, ES, UK, IT
	Branch 45° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● light grey	4107630	3396046772610	FR, ES, UK, IT
	Branch 67° ø80 MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107212	8011963766447	FR, ES, UK, IT
	Branch 67° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107189	8011963766140	FR, ES, UK, IT
	Branch 67° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● graphite	4108048	8011963771694	FR, ES, UK, IT
	Branch 67° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● light grey	4107185	8011963766102	FR, ES, UK, IT
	Branch 87° ø80 MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107636	3396046773631	FR, ES, UK, IT
	Branch 87° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107635	3396046773624	FR, ES, UK, IT
	Branch 87° ø80 MF	–	25	60 x 40 x 31 cm	–	–	● copper	4108066	8011963772257	PL, RO, UK, IT
	Branch 87° ø80 MF	–	25	60 x 40 x 31 cm	–	–	● red	4107000	8011963764528	PL, RO, UK, IT
	Branch 87° ø80 MF	–	25	60 x 40 x 31 cm	–	–	● brown	4107078	8011963764504	PL, RO, UK, IT
	Branch 87° ø80 MF	–	25	60 x 40 x 31 cm	–	–	● anthracite	4106997	8011963764535	FR, ES, PT, UK
	Branch 87° ø80 MF	–	25	60 x 40 x 31 cm	–	–	● graphite	4108067	8011963772264	FR, ES, UK, IT
	Branch 87° ø80 MF	–	10	60 x 20 x 31 cm	300	–	● light grey	4107634	3396046773617	FR, ES, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	1.200	–	○ white	4107061	8011963764313	FR, ES, PT, UK
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107975	8011963769301	FR, ES, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	1.200	–	● red	4107002	8011963764320	PL, RO, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	1.200	–	● brown	4107059	8011963764306	PL, RO, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	1.200	–	● anthracite	4107001	8011963764337	FR, ES, PT, UK
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	2.400	–	● graphite	4108060	8011963771816	FR, ES, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	2.400	–	● light grey	4107974	8011963769295	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	○ white	4107646	3396046774638	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107645	3396046774621	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	● graphite	4108055	8011963771762	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	● light grey	4107644	3396046774614	FR, ES, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	○ white	4107243	8011963767093	FR, ES, PT, UK
	Pipe shoe ø80	–	40	60 x 20 x 31 cm	–	–	● sand	4108105 ^(*)	8011963780399 ^(*)	FR, ES, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	● copper	4107256	8011963767666	PL, RO, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	● red	4107257	8011963767673	PL, RO, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	● brown	4107241	8011963767079	PL, RO, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	● anthracite	4108072	8011963772295	FR, ES, PT, UK
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	● graphite	4107244	8011963767109	PL, RO, UK, IT
	Pipe shoe ø80	–	40	60 x 20 x 31 cm	–	–	● light grey	4108092 ^(*)	8011963780382 ^(*)	FR, ES, UK, IT
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	○ white	4108094 ^(*)	8011963780405 ^(*)	FR, ES, PT, UK
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	● sand	4107637	3396046760921	FR, ES, UK, IT
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	● graphite	4108054	8011963771755	FR, ES, UK, IT
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	● light grey	4107638	3396046760914	FR, ES, UK, IT

(*) upon request




G165

FITT's rainwater is complete, easy adaptable to any building dimension and user friendly to be assembled. Setting is possible both by gluing and by means of gaskets. The gasket, made of EPDM, guarantees longer tightness and duration, lengthening the time between each replacement.




COLOR RANGE



Colors do not exactly coincide with RAL System, but an attempt has been made to reproduce the most similar colors

PROFILE	SHAPE	ASSEMBLY MODE	GARDEN SHELTER	HOUSE	DETACHED HOUSE	VILLA	AGRO/ INDUSTRIAL BUILDING
G165		GLUE				✓	✓
		SEAL				✓	✓

G165 rainwater system



1. Angle

2. Gutter

3. Central outlet

4. Fascia bracket

5. Joint

6. Stop end

7. Bend

8. Raining pipe \varnothing 100 mm



9. Coupling

10. Branch

11. Pipe clip





12. Bend

G165 components

MODEL	DESCRIPTION	QTY / PACK	LENGTH / PACK	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Gutter - 4 mt	10	40 mt	–	180	720 mt	○ white	330311654015301	3396046892356	–
	Gutter - 4 mt	10	40 mt	–	180	720 mt	● sand	330211654015301	3396046703324	–
	Gutter - 3 mt	10	30 mt	–	180	540 mt	● light grey	338041253003660	8011963765938	–
	Gutter - 4 mt	10	40 mt	–	180	720 mt	● light grey	330411654015301	3396046703317	–
	Raining pipe ø100 - 4 mt	5	20 mt	–	80	320 mt	○ white	308031004018301	3396046892363	FR, ES, UK, IT
	Raining pipe ø100 - 3 mt	5	15 mt	–	80	240 mt	● sand	308021003018301	3396046892332	FR, ES, UK, IT
	Raining pipe ø100 - 4 mt	5	20 mt	–	80	320 mt	● sand	308021004018301	3396046711022	FR, ES, UK, IT
	Raining pipe ø100 - 3 mt	5	15 mt	–	80	240 mt	● light grey	308041003009600	8011963767802	FR, ES, PT, UK
	Raining pipe ø100 - 4 mt	5	20 mt	–	80	320 mt	● light grey	308001004018301	3396046711015	FR, ES, UK, IT



MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Fascia bracket	–	50	60 x 20 x 31 cm	3.000	–	○ white	4107658	3396046760105	FR, ES, UK, IT
	Fascia bracket	–	50	60 x 20 x 31 cm	3.000	–	● sand	4107655	3396046723322	FR, ES, UK, IT
	Fascia bracket	–	50	60 x 20 x 31 cm	3.000	–	● light grey	4107654	3396046723315	FR, ES, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	–	–	○ white	4106949	8011963763859	FR, ES, PT, UK
	Wave roof fixing	–	100	60 x 20 x 31 cm	–	–	● sand	4108095 ^(*)	8011963780412 ^(*)	FR, ES, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	–	–	● light grey	4108096 ^(*)	8011963780429 ^(*)	FR, ES, UK, IT
	Universal angle 90° (to be glued)	–	5	60 x 20 x 31 cm	300	–	○ white	4107579	3396046760204	FR, ES, UK, IT
	Universal angle 90° (to be glued)	–	5	60 x 20 x 31 cm	300	–	● sand	4107576	3396046765728	FR, ES, UK, IT
	Universal angle 90° (to be glued)	–	5	60 x 20 x 31 cm	300	–	● light grey	4107577	3396046765711	FR, ES, UK, IT
	Universal angle 90° (with rubber seal)	–	5	60 x 20 x 31 cm	150	–	● light grey	4106963	8011963765174	FR, ES, PT, UK
	Union bracket (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	○ white	4107739	3396046760112	FR, ES, UK, IT
	Union bracket (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● sand	4107738	3396046761720	FR, ES, UK, IT
	Union bracket (to be glued)	–	20	60 x 20 x 31 cm	1.200	–	● light grey	4107737	3396046761713	FR, ES, UK, IT
	Union bracket (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● sand	4107736	3396046761928	FR, ES, UK, IT
	Union bracket (with rubber seal)	–	10	60 x 20 x 31 cm	600	–	● light grey	4107735	3396046761911	FR, ES, UK, IT
	Central outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	○ white	4107690	3396046760150	FR, ES, UK, IT
	Central outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● sand	4107687	3396046762727	FR, ES, UK, IT
	Central outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107686	3396046762710	FR, ES, UK, IT
	Central outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● sand	4107689	3396046762925	FR, ES, UK, IT
	Central outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107688	3396046762918	FR, ES, UK, IT

(*) upon request

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Left outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● sand	4107684	3396046733925	FR, ES, UK, IT
	Left outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107682	3396046763915	FR, ES, UK, IT
	Left outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● sand	4107680	3396046763724	FR, ES, UK, IT
	Left outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107678	3396046763717	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● sand	4107685	3396046764929	FR, ES, UK, IT
	Right outlet (with rubber seal)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107683	3396046764912	FR, ES, UK, IT
	Right outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● sand	4107681	3396046764721	FR, ES, UK, IT
	Right outlet (to be glued)	–	8	60 x 40 x 31 cm	320	–	● light grey	4107679	3396046764714	FR, ES, UK, IT
	Universal stop end (to be glued)	5	60	60 x 20 x 31 cm	–	–	○ white	4108098 ^(*)	8011963780443 ^(*)	FR, ES, UK, IT ^(*)
	Universal stop end (to be glued)	5	60	60 x 20 x 31 cm	–	–	● sand	4108099 ^(*)	8011963780450 ^(*)	FR, ES, UK, IT ^(*)
	Universal stop end (to be glued)	5	60	60 x 20 x 31 cm	–	–	● light grey	4108097 ^(*)	8011963780436 ^(*)	FR, ES, UK, IT ^(*)
	Left stop end (to be glued)	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107720	3396046767722	FR, ES, UK, IT
	Left stop end (to be glued)	–	40	60 x 20 x 31 cm	2.400	–	● light grey	4107718	3396046767913	FR, ES, UK, IT
	Right stop end (to be glued)	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107721	3396046768712	FR, ES, UK, IT
	Right stop end (to be glued)	–	40	60 x 20 x 31 cm	2.400	–	● light grey	4107719	3396046768910	FR, ES, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	○ white	4107228	8011963766768	FR, ES, PT, UK
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● sand	4107173	8011963765396	FR, ES, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● light grey	4107195	8011963766201	FR, ES, UK, IT
	Bend ø100 45° MF	–	10	60 x 20 x 31 cm	600	–	○ white	4107590	3396046760181	FR, ES, UK, IT
	Bend ø100 45° MF	–	10	60 x 20 x 31 cm	600	–	● sand	4107587	3396046769726	FR, ES, UK, IT
	Bend ø100 45° MF	–	10	60 x 20 x 31 cm	600	–	● light grey	4107586	3396046769719	FR, ES, UK, IT
	Bend ø100 67° MF	–	10	60 x 20 x 31 cm	600	–	○ white	4107591	3396046760198	FR, ES, UK, IT
	Bend ø100 67° MF	–	10	60 x 20 x 31 cm	600	–	● sand	4107585	3396046770722	FR, ES, UK, IT
	Bend ø100 67° MF	–	10	60 x 20 x 31 cm	600	–	● light grey	4107584	3396046770715	FR, ES, UK, IT
	Bend ø100 87° MF	–	10	60 x 20 x 31 cm	600	–	○ white	4107592	3396046760167	FR, ES, UK, IT
	Bend ø100 87° MF	–	10	60 x 20 x 31 cm	600	–	● sand	4107589	3396046771729	FR, ES, UK, IT
	Bend ø100 87° MF	–	10	60 x 20 x 31 cm	600	–	● light grey	4107588	3396046771712	FR, ES, UK, IT

(*) upon request

G165 components

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Branch ø100 45° MF	–	10	60 x 40 x 31 cm	400	–	● sand	4107623	3396046772726	FR, ES, UK, IT
	Branch ø100 45° MF	–	10	60 x 40 x 31 cm	400	–	● light grey	4107622	3396046772719	FR, ES, PT, UK
	Branch ø100 87° MF	–	10	60 x 40 x 31 cm	400	–	● sand	4107625	3396046773723	FR, ES, UK, IT
	Branch ø100 87° MF	–	10	60 x 40 x 31 cm	400	–	● light grey	4107624	3396046773716	FR, ES, UK, IT
	Pipe socket ø100 FF	–	20	60 x 20 x 31 cm	1.200	–	○ white	4107641	3396046760174	FR, ES, UK, IT
	Pipe socket ø100 FF	–	20	60 x 20 x 31 cm	1.200	–	● sand	4107640	3396046774720	FR, ES, UK, IT
	Pipe socket ø100 FF	–	20	60 x 20 x 31 cm	1.200	–	● light grey	4107639	3396046774713	FR, ES, UK, IT
	Pipe clip ø100	10	80	–	–	–	○ white	4108100 ^(*)	8011963780467 ^(*)	FR, ES, UK, IT
	Pipe clip ø100	10	80	–	–	–	● sand	4108102 ^(*)	8011963780481 ^(*)	FR, ES, UK, IT
	Pipe clip ø100	10	80	–	–	–	● light grey	4108101 ^(*)	8011963780474 ^(*)	FR, ES, PT, UK

(*) upon request




C140

FITT's rainwater is complete, easy adaptable to any building dimension and user friendly to be assembled. Setting is possible by gluing.



COLOR RANGE



RAL 9010
white



RAL 1015
sand



Colors do not exactly coincide with RAL System, but an attempt has been made to reproduce the most similar colors



PROFILE	SHAPE	ASSEMBLY MODE	GARDEN SHELTER	HOUSE	DETACHED HOUSE	VILLA	AGRO/ INDUSTRIAL BUILDING
C140		GLUE				✓	✓
		SEAL					








C140 rainwater system

















- | | |
|---------------|--------------------------------------|
| 1. Outlet | 7. Raining pipe \varnothing 100 mm |
| 2. Gutter | 8. Pipe socket |
| 3. Connection | 9. Branch |
| 4. Angle | 10. Pipe clip |
| 5. Stopend | 11. Invisible fascia bracket |
| 6. Bend | |

C140 components

MODEL	DESCRIPTION	QTY / PACK	LENGTH / PACK	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Gutter - 2 mt	6	12 mt	–	120	240 mt	○ white	330311402018301	3396046892301	–
	Gutter - 4 mt	6	24 mt	–	120	480 mt	○ white	330301404018301	3396046892349	–
	Gutter - 2 mt	6	12 mt	–	120	240 mt	● sand	330211402018301	3396046892318	–
	Gutter - 4 mt	6	24 mt	–	120	480 mt	● sand	330211404018301	3396046892325	–
	Raining pipe ø80 - 3 mt	10	30 mt	–	125	375 mt	○ white	308030803006600	8011963764719	FR, ES, PT, UK
	Raining pipe ø80 - 4 mt	10	40 mt	–	180	720 mt	○ white	308030804015301	3396046710834	FR, ES, UK, IT
	Raining pipe ø80 - 2 mt	10	20 mt	–	180	360 mt	● sand	308020802015301	3396046710926	FR, ES, UK, IT
	Raining pipe ø80 - 3 mt	10	30 mt	–	180	540 mt	● sand	308020803015301	3396046712029	FR, ES, UK, IT
	Raining pipe ø80 - 4 mt	10	40 mt	–	180	720 mt	● sand	308020804015301	3396046710827	FR, ES, UK, IT

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Invisible fascia bracket	–	50	30 x 20 x 31 cm	3.000	–	○ white	4107648	3396046792199	FR, ES, UK, IT
	Invisible fascia bracket	–	50	30 x 20 x 31 cm	3.000	–	● sand	4107647	3396046792250	FR, ES, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	–	–	○ white	4106949	8011963763859	FR, ES, UK, IT
	Wave roof fixing	–	100	60 x 20 x 31 cm	–	–	● sand	4108103 ^(*)	8011963780498 ^(*)	FR, ES, UK, IT
	Union bracket (to be glued)	–	35	30 x 20 x 31 cm	2.100	–	○ white	4107729	3396046792212	FR, ES, UK, IT
	Union bracket (to be glued)	–	35	30 x 20 x 31 cm	2.100	–	● sand	4107728	3396046792281	FR, ES, UK, IT
	Central outlet (to be glued)	–	6	30 x 20 x 31 cm	360	–	○ white	4107664	3396046792205	FR, ES, UK, IT
	Central outlet (to be glued)	–	6	30 x 20 x 31 cm	360	–	● sand	4107663	3396046792274	FR, ES, UK, IT
	External gutter angle 90° (to be glued)	–	5	30 x 20 x 31 cm	300	–	○ white	4107570	3396046792236	FR, ES, UK, IT
	External gutter angle 90° (to be glued)	–	5	30 x 20 x 31 cm	300	–	● sand	4107568	3396046792311	FR, ES, UK, IT
	Internal gutter angle 90° (to be glued)	–	5	30 x 20 x 31 cm	300	–	○ white	4107572	3396046792243	FR, ES, UK, IT
	Internal gutter angle 90° (to be glued)	–	5	30 x 20 x 31 cm	300	–	● sand	4107569	3396046792328	FR, ES, UK, IT
	Left stop end (to be glued)	–	30	30 x 20 x 31 cm	1.800	–	○ white	4107706	3396046792229	FR, ES, UK, IT
	Left stop end (to be glued)	–	30	30 x 20 x 31 cm	1.800	–	● sand	4107705	3396046792304	FR, ES, UK, IT
	Right stop end (to be glued)	–	30	30 x 20 x 31 cm	1.800	–	○ white	4107708	3396046792267	FR, ES, UK, IT
	Right stop end (to be glued)	–	30	30 x 20 x 31 cm	1.800	–	● sand	4107707	3396046792298	FR, ES, UK, IT
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	○ white	4107228	8011963766768	FR, ES, PT, UK
	Hopper ø80-100	–	12	60 x 40 x 26 cm	–	–	● sand	4108104 ^(*)	8011963780504 ^(*)	FR, ES, UK, IT

(*) upon request

MODEL	DESCRIPTION	QTY / BAG	QTY / BOX	BOX DIMENSION	QTY / PALLET	LENGTH / PALLET	COLOR	ITEM NR	EAN13	LABEL LANGS.
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	○ white	4107619	3396046769634	FR, ES, UK, IT
	Bend ø80 45° MF	–	25	60 x 20 x 31 cm	750	–	● sand	4107611	3396046769627	FR, ES, UK, IT
	Bend ø80 45° FF	–	25	60 x 20 x 31 cm	750	–	○ white	4108046	3396046776632	FR, ES, UK, IT
	Bend ø80 45° FF	–	25	60 x 20 x 31 cm	750	–	● sand	4107593	3396046776625	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	○ white	4107617	3396046770630	FR, ES, UK, IT
	Bend ø80 67° MF	–	20	60 x 20 x 31 cm	600	–	● sand	4107609	3396046770623	FR, ES, UK, IT
	Bend ø80 67° FF	–	20	60 x 20 x 31 cm	600	–	○ white	4107621	3396046777639	FR, ES, UK, IT
	Bend ø80 67° FF	–	20	60 x 20 x 31 cm	600	–	● sand	4107615	3396046777622	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	○ white	4107618	3396046771637	FR, ES, UK, IT
	Bend ø80 87° MF	–	20	60 x 20 x 31 cm	600	–	● sand	4107608	3396046771620	FR, ES, UK, IT
	Bend ø80 87° FF	–	20	60 x 20 x 31 cm	600	–	○ white	4107620	3396046778636	FR, ES, UK, IT
	Bend ø80 87° FF	–	20	60 x 20 x 31 cm	600	–	● sand	4107614	3396046778629	FR, ES, UK, IT
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	○ white	4107183	8011963766089	FR, ES, PT, UK
	Adjustable bend ø80 MF 22°-87°	–	27	60 x 40 x 31 cm	–	–	● sand	4107186	8011963766119	FR, ES, UK, IT
	Branch ø80 45° MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107633	3396046772634	FR, ES, UK, IT
	Branch ø80 45° MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107632	3396046772627	FR, ES, UK, IT
	Branch ø80 67° MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107212	8011963766447	FR, ES, UK, IT
	Branch ø80 67° MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107189	8011963766140	FR, ES, UK, IT
	Branch ø80 87° MF	–	10	60 x 20 x 31 cm	300	–	○ white	4107636	3396046773631	FR, ES, UK, IT
	Branch ø80 87° MF	–	10	60 x 20 x 31 cm	300	–	● sand	4107635	3396046773624	FR, ES, UK, IT
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	1.200	–	○ white	4107061	8011963764313	FR, ES, PT, UK
	Pipe socket ø80 MF	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107975	8011963769301	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	○ white	4107646	3396046774638	FR, ES, UK, IT
	Pipe socket ø80 FF	–	40	60 x 20 x 31 cm	2.400	–	● sand	4107645	3396046774621	FR, ES, UK, IT
	Pipe shoe ø80	–	40	60 x 40 x 31 cm	–	–	○ white	4107243	8011963767093	FR, ES, PT, UK
	Pipe shoe ø80	–	40	60 x 20 x 31 cm	–	–	● sand	4108105 ^(*)	8011963780511 ^(*)	FR, ES, UK, IT
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	○ white	4108106 ^(*)	8011963780528 ^(*)	FR, ES, PT, UK
	Pipe clip ø80	2	100	60 x 20 x 31 cm	6.000	–	● sand	4107637	3396046760921	FR, ES, UK, IT

(*) upon request

packaging

FITT has completely reviewed the production of its 4 cardboard models.

It is no longer necessary to have a cut to open the boxes: pre-cutting is realized with an eyelet that allows to move half-moons forward and backward. The upper part is thus easily removed to leave a well-trimmed cardboard that can be displayed directly in shelving.

BOX DIMENSIONS L x W x H (cm)	BOX VOLUME (M3)	BOX / PALLET	PALLET DIMENSIONS L x W x H (cm)	BOX / PALLET LAYER
60 × 40 × 63 cm	0.151	15	100 × 120 × H* cm	5
60 × 40 × 31 cm	0.074	30	100 × 120 × H* cm	5
60 × 20 × 31 cm	0.037	60	100 × 120 × H* cm	10
30 × 20 × 31 cm	0.018	120	100 × 120 × H* cm	20

(*) standard value depending on layers needed

Both the gutter profile and the raining pipe pallets include two protection shields avoiding deterioration of the product and of its packaging when moved with a forklift.

In order to help clients and end-users, FITT created an envelope with printed product information. Each envelope, providing UV protection, is equipped with a coloured tape, which identifies gutter or raining pipe colour.





assembly instructions



1. Attach the fascia brackets, while descending 3 mm in the direction of the raining pipes.



2. It is necessary to connect the highest and the lowest fascia brackets with a string, thanks to which it will be possible to place the remaining fascia brackets at the correct height. Supports should be assembled max. every 40 cm.



3. Saw the gutters with a hacksaw to the necessary length.



4. Place the gutters on the fascia brackets. Then click the gutter in the fascia brackets.



5. Elements such as the central outlet hopper, connector have their own additional mounting, thanks to which the system is stable. With these elements brackets should be mounted at a distance of not more than 15 cm.



6. If the raining pipe is provided at the end of the building, we can use an outlet with a stop end (depending on the rain water system range). Install the connectors and the outlets while descending 3 mm.



7. Connect the gutter sections using connectors. The length of individual sections of gutters between elements is trimmed so that the ends of the gutters reach the dotted line marked on the connector as "limit position".



8. At the ends of the gutters, install the stop end using PVC glue. Fittings with rubber joint does not require the use of glue.



9. In the case of roof with eaves, the connection of the outlet with a raining pipe should be made using bends of 45° or 67° and cut to the appropriate length of the raining pipe.



10. Install the angles on the gutter. It is necessary to jam the angle on the gutter on one side and then on the other. The distance between the fascia brackets and the edge of the angles should not exceed 15 cm.



11. Attach the pipe clips to the wall. Depending on your needs, use screws with a length of 7, 14 or 22 cm. The clamps in the raining pipes are mounted approx. 2 m away.



12. Place the drain tube in the clips. The raining pipes are finished with a socket allowing them to be joined together without the use of a sleeve. Leave approx. 5 mm clearance in the connection between the pipes.



13. Depending on the needs, mount the branch, mounting it to the wall with the help of pipe clips. Provide approx. 5 mm clearance.



14. Install the bend as the outlet of the raining pipe. The minimum distance of the knee from the ground should be 20 cm.

fitt ræn

insurance certificate

FITT guarantees its products
with a special insurance coverage
for all damages caused by third parties.

15,000,000 EURO LIMIT OF LIABILITY

WORLDWIDE VALIDITY

**COVERAGE VALID
FROM THE DATE OF SALE**

The FITT insurance policy also covers
the following material damages,
if they occur or presumably could occur:
repair, i.e. the alteration or correction of the faulty
product and assembly of a fault-free product.



FITT.COM

fitt 

fitt rain

gutter system warranty

Fitt S.p.A. ("**Fitt**") warrants and represents that the gutter system ("**Gutter System**") supplied to the client will be fit for the purpose and is warranted not to leak for 10 years from the date of installation provided that it is properly assembled and installed.

Fitt warrants and represents that single components of each Gutter System will be new and free from any defect in design, material or workmanship for a period of [24] months as of the date of the relevant delivery.

For any colour or paint defect the warranty period is reduced to [12] months from the date of actual installation on site.

This warranty does not cover or apply to any defect of the Gutter System caused by or arising out of:

- (i) ordinary wear, tear and/or corrosion;
- (ii) extraordinary environmental events and/or exceptionally adverse weather conditions;
- (iii) intervention, repair, alterations and/or modifications made by third parties not previously authorised in writing by Fitt;
- (iv) improper storage or warehousing;
- (v) improper use or use under conditions more severe than those for which the Gutter Systems were designed or built for;
- (vi) incorrect or improper maintenance by the client or any third party.

This warranty comprises the sole and entire warranty pertaining to the Gutter System and Fitt disclaims all other warranties, express an implied, including design and fitness of the Gutter System for a particular purpose.

This warranty and any obligations deriving therefrom are governed and shall be construed in accordance with Italian Law.



FITT.COM





FITT S.p.A.
Via Piave, 8
36066 Sandrigo, VI (Italy)

Tel. +39 0444 46 10 00
Fax +39 0444 46 10 99

rain@fitt.com

fitt.com